




U-BKS
The BUZON
rail system











U-BRS why choose it?

Pratical and functional, the U-BRS system offers a complete structure for the raised installation of your outdoor space.

The system includes adjustable height supports in polypropylene, reinforced aluminium profiles and 3mm spacer tabs which allow for free drainage to the podium or WPM.

Additionally, 2 rubber strips either side of the spacer tabs assist with potential foot traffic noise.

Locking end-stops prevent potential lateral movement.

U-BRS A fusion of advantages



Speed of installation



Economic advantages



High load capability



Allows for random and staggered paver dimensions









U-BRS elements of the system









SUPPORTS


Models already supplied screwed

PB-00	PB-01	PB-1	PB-2
PB - 00	PB - 01	PB - 1	PB - 2
15mm	28 - 42mm	42- 60mm	60 - 90mm



145 - 245mm

90 - 145mm



PB - 5 PB - 6 PB - 7 PB - 8 PB - 9 PB - 10 PB - 11 230 - 315mm 285 - 367mm 365 - 485mm 452 - 605mm 537 - 725mm 620 - 845mm 705 - 965mm

COMPONENTS

1. CLIP FOR TUBULAR FIXING

PB-KIT-2 Clip for fixing with a tubular joint

2. TUBULAR ALUMINIUM 2400X65mm

U-BRS - 18mmModel with height 18mmU-BRS - 38mmModel with height 38mm

3. EPDM RUBBER PROTECTION

U-BRS-EPDM-2MM Rubber protection 2400x20mmx2mm

(2 per tubular)

4. SPACER CROSS FOR TILES

U-BRS-TABS-3MM-H17 Interlocking from above

5. STILL PLATE

U-BRS-STOP Element for slab

6. STAINLESS STEEL ACCESSORIES FOR LATERAL PLUGGING (TO BE USED WITH L PIECE)

U-BRS-END-TUpper element (Top)U-BRS-END-BLower element (Base)

7. FITTING TO L

U-CONNECTOR For tubular or stepped tubular mounting

















ACCESSORIES

8. SLOPE CORRECTOR

BC-PH5 Slope corrector creator up to 5%

9. SHIM

PB-SHIMS-4MM Polypropylene thickness from 4mm

10. BUZON BUBBLE LEVEL

U-KIT-SL-80 Determines the value and direction of the slope

11. ADJUSTMENT KEY

U-KEY Support height adjustment key

8.

9



10.


11.






EXAMPLES OF APPLICATION


SYSTEM U-BRS 18



SYSTEM U-BRS 38




WITH TILES 20x120cm



WITH TILES 30x120cm and 40x120

WITH TILES 60x60cm and 60x120cm






LESS TIME PERFECT RESULTS

















INSTRUCTIONS AND INSTALLATION TIPS







U-BRS The BUZON Installation Instruction

























U-BRS The BUZON Installation Instruction

