

∎ grad®

Decking & Cladding System Catalogue October 2024

info@outdoordeck.co.uk - outdoordeck.co.uk - +44 (0) 208 977 0820


Contents

Cladding System	2
Variclad Cladding	3
Decking System	4
Grad Finishes Decking Cladding Grad Rails and Clips Decking	5
Cladding	
Top Lift Decking Pedestals	13
Accessories	14












Cladding System



Click here



Variclad Cladding



Variable widths to create a unique and eye-catching look

The Variclad system is compatible with three different sizes of Bamboo boards for use with Flat Rail Variclad 1.

> 45mm, 64mm and 120mm Bamboo X-treme

Clipped on the same rail, for a durable design and easy installation.



Bespoke arrangements are available on request subject to order volume.





Decking System

The ultimate invisible-fix screw-free decking system

Adjustable Pedestals Aluminium rails fitted with factory-placed clips. 100% Skirting with Removable connectors boards Skirting -Rail Top Cube Connectors & Support

Seamless screw-free decking with a suite of accessories.

Our aluminium rails are supplied with factory-attached Grad® clips perfectly placed to suit your specified board shape and width.



Speedy and effortless installation.

A variety of timbers to suit every project.

Click here



35mm - 370mm

Thermo Ash

Decking



8.06 lm/m² 21x120mm Various lengths



At Installation 6 months + 1 Year +

Thermo-treated Ash

Clear Grade Domed Profile 20 Year Warranty FSC Certified Product Available

Compatible rails:

PR 24 (120) PR 39 (120) PR 56 (120) Flat Rail (120)





At Installation 6 months + 1 Year +

Thermo-treated Pine

With Knots Domed Profile 15 Year Warranty FSC Certified Product Available

Compatible rails:

PR 24 (120) PR 39 (120) PR 56 (120) Flat Rail (120)





Kebonized Radiata Pine

Clear Grade Domed Profile 30 Year Warranty FSC Certified Product Available

Compatible rails:

PR 24 (120) PR 39 (120) PR 56 (120) Flat Rail (120)





lpe

Clear Grade Domed Profile 30 Year Warranty FSC Certified Product Available

Compatible rails:

PR 24 (120) PR 39 (120) PR 56 (120) Flat Rail (120)

Bamboo X-treme Woca

Decking cont.

At Installation 6 months + 2 Years +

Thermo-treated Bamboo G-D-20120-XW Clear Grade Domed Profile 25 Year Warranty B Fire-rated

Compatible rails:

PR 24 (120) PR 39 (120) PR 56 (120) Flat Rail (120)









At Installation 6 months + 2 Years +

Thermo-treated Bamboo G-D-20120-N Clear Grade Domed Profile 25 Year Warranty B Fire-rated

Compatible rails: PR 24 (120) PR 39 (120) PR 56 (120) Flat Rail (120)







25mm

Awating Image

25x120mm L3.6m

90mm 20mm 8.06 lml/m²



At Installation 18 months + 4 Years +

Thermo Iroko

Clear Grade Premium Flat Profile 25 Year Warranty

Compatible rails:

PR 24 (90) Flat Rail (90) Composite G-D-5136-FR

Bfl, s1 Fire rated Premium Flat Profile 10 Year Warranty

Compatible rails:

PR 24 (120) PR 39 (120) PR 56 (120) Flat Rail (120)



120mm

8.06 lm/m²



Accoya Grey

Decking cont.





Awating Image

At Installation 6 months + 2 Years +

Accoya Modified Radiata Pine

Clear Grade Domed Profile 50 Year Warranty Cradle to Cradle Certified Gold FSC Certified Product Available

Compatible rails:

PR 24 (120) PR 39 (120) PR 56 (120) Flat Rail (120)







120mm



At Installation 6 months + 2 Years +

Accoya Modified Radiata Pine

Clear Grade Domed Profile 50 Year Warranty Cradle to Cradle Certified Gold FSC Certified Product Available

Compatible rails:

PR 24 (120) PR 39 (120) PR 56 (120) Flat Rail (120) Thermo Pine Rhomboid

Cladding

Thermo Pine Square







6 months +

FSC Certified Product Available

Thermo-treated Pine

1 Year +

At Installation

With Knots

Flat Profile

Flat Rail (65)

15 Year Warranty

Compatible rails:






At Installation 6 months + 1 Year +

Thermo-treated Pine


With Knots Flat Profile 15 Year Warranty FSC Certified Product Available

Compatible rails: Flat Rail (65)









Bamboo X-treme Natural 120



Cladding cont.





At Installation 6 months + 1 Year +

Thermo-treated Bamboo G-C-21120-X Clear Grade Flat Profile 25 Year Warranty B Fire-rated

Compatible rails: Flat Rail (120) Variclad 1

Thermo Ash Rhomboid



At Installation 6 months + 2 Years +

Thermo-treated Ash

Clear Grade Flat Profile 20 Year Warranty FSC Certified Product Available

Compatible rails: Flat Rail (52) Thermo Ash Square







At Installation 6 months + 1 Year +

Thermo-treated Ash

Clear Grade Flat Profile 20 Year Warranty FSC Certified Product Available

Compatible rails: Flat Rail (52)







8.06 lm/m²

 \bigcirc

21mm

21x120mm Various lengths



At Installation 6 months + 2 Years +

Thermo-treated Ash

Clear Grade Domed Profile 20 Year Warranty FSC Certified Product Available

Compatible rails: Flat Rail (120)

Grad Rails and Clips

PR 24 (120)

Decking

Flat Rail (90)

Flat Rail (120)



G-DCR-2100 To fit 90mm wide decking, L1984mm H18mm with clips



G-DCR-1185 To fit 120mm wide decking, L1984mm H18mm with clips

G-A-1505-I

To connect rails where

For PR 39 (120) & PR 56 (120) rails

angles are required



PR 24 (90)

G-DR-2101 To fit 90mm wide decking, L1984mm H30mm with clips



G-DR-1191 To fit 120mm wide decking, L1984mm H30mm with clips



PR 39 (120)

G-DR-1194 To fit 120mm wide decking, L1984mm H45mm with clips



OUTDOOR

DECK COMPANY

G-DR-1197 To fit 120mm wide decking, L1984mm H62mm with clips



Top Link (120)



G-A-1488-I Connector for joining two rails & ensuring clips remain pefectly spaced

Rail Connection Plate -PR 39 & PR 56 Rail Connection Plate -PR 24



G-A-1506-I To connect rails where angles are required For PR 24 (120) rails

Skirting

Top Cube



G-A-1498-I Adjustable pedestal to be used at the terrace edge

Skirting Support 1



G-A-1473-I Skirting rail for single boards

Grad Rails and Clips



Skirting cont.

Cladding

Skirting Support 2



G-A-1474-I Skirting rail for two boards

Skirting Support 3

Skirting rail for three boards

Skirting Connection Plate



G-A-1504-I Connection for skirting where unsupported boards come together at an angle Flat Rail (45)



G-CR-1799 To fit 45mm cladding, L1989mm H18mm with clips, 6mm gaps



Flat Rail (52)

G-CR-1188 To fit 52mm cladding, L1960mm H18mm with clips, 4mm gaps

Cladding cont.

Flat Rail (64)



G-CR-1792 To fit 64mm cladding, L1960mm H18mm with clips, 6mm gaps

Flat Rail (65)

G-A-1476-I



G-CR-1822 To fit 65mm cladding, L2001mm H18mm with clips 4mm gaps

Flat Rail (90)



G-DCR-2100 To fit 90mm wide cladding, L1984mm H18mm with clips 5mm gaps

Flat Rail (120)



G-DCR-1185 To fit 120mm cladding, L1984mm H18mm with clips, 6mm gaps

Flat Rail Variclad 1



G-CR-1903 To fit Variclad cladding, L1968mm H18mm with clips, 6mm gaps

Top Lift Decking Pedestals





G-P-35-55

35-55mm





101-145mm

G-56

G-P-56-100 56-100mm

G-P-146-190 146-190mm




G-P-191-235 191-235mm

G-P-236-280 G-P-281-325 236-280mm 281-325mm

5 G-P

G-P-326-370 326-370mm




Code	Pedestal Configuration
G-P-35-55	Head, Base
G-P-56-100	Head, Base + 1x Pedestal Extension
G-P-101-145	Head, Base + 2x Pedestal Extensions
G-P-146-190	Head, Base + 3x Pedestal Extensions + 2x Pedestal Reinforcers
G-P-191-235	Head, Base + 4x Pedestal Extensions + 2x Pedestal Reinforcers
G-P-236-280	Head, Base + 5x Pedestal Extensions + 3x Pedestal Reinforcers
G-P-281-325	Head, Base + 6x Pedestal Extensions + 4x Pedestal Reinforcers
G-P-326-370	Head, Base + 7x Pedestal Extensions + 4x Pedestal Reinforcers

Accessories

OUTDOOR


DECK COMPANY





Get in touch

and discover how Grad hidden-fix can enhance your projects





info@outdoordeck.co.uk - www.outdoordeck.co.uk - +44 020 8977 0820